

Display energy certificate (DEC)



HM Government

STAR MAT
MAIN BUILDING
Monk Fryston C of E Primary School
Chestnut Green
Monk Fryston
LEEDS
LS25 5PN

Operational rating

D

Certificate number: 0878-8414-7872-7128-7402

Valid until: 29 June 2025

Total useful floor area: 1,012.24 square metres

Energy performance operational rating

The building's energy performance operational rating is based on its carbon dioxide (CO₂) emissions for the last year.

It is given a score and an operational rating on a scale from A (lowest emissions) to G (highest emissions).

The typical score for a public building is 100. This typical score gives an operational rating of D.

Score	Operational rating	This building	Typical
0-25	A		
26-50	B		
51-75	C		
76-100	D	80 D	
----- 100 -----			
101-125	E		
126-150	F		
150+	G		

Previous operational ratings

Date	Operational rating
June 2024	80 D
June 2023	112 E
June 2022	125 E

Total carbon dioxide (CO₂) emissions

This tells you how much carbon dioxide the building emits. It shows tonnes per year of CO₂.

Date	Electricity	Heating	Renewables
June 2024	39	3	0
June 2023	45	14	0
June 2022	34	33	0

Assessment details

Assessor's name	Dr. Steffi Harangozo
Employer/Trading name	North Yorkshire Council
Employer/Trading address	County Hall, 1 Racecourse Lane, Northallerton, DL7 8AL
Assessor's declaration	Contractor to the occupier for EPBD services only.
Accreditation scheme	Elmhurst Energy Systems Ltd
Issue date	30 August 2024
Nominated date	30 June 2024

This building's energy use

Energy use	Electricity	Other fuels
Annual energy use (kWh/m ² /year)	70.10	13.03
Typical energy use (kWh/m ² /year)	41.20	148.68
Energy from renewables	2.3%	0%

